

## 8.0 REFERENCES CITED

- Anderson, James R., Hardy, Ernest E., Roach, John T., and Witmer, Richard E. 1976. *A land-use and land cover classification system for use with remote-sensor data*: USGS Circ. 964, 41 p., refs.
- Barten, P. K., A.L. de la Crétaz, and Y. Zhang. 2002. Land Conservation, Restoration, and Stormwater Management Priorities for the Pretty Boy Reservoir Watershed, Maryland. University of Massachusetts, Amherst and Massachusetts Department of Natural Resources Conservation.
- Bigelow, H.B. & Schroeder, W.G. (1953). Fishes of the Gulf of Maine. Fishery Bulletin of the Fish and Wildlife Service, Volume 53.
- Blake, C. & Maggs, C.A., (2003). Comparative growth rates and internal banding periodicity of maerl species (Corallinales, Rhodophyta) from northern Europe. *Phycologia* 42, 606–612.
- Burkholder, J., Howard Glasgow, Greg Melia, Carol Kinder and Robert Reed, 2004. *Water Quality Impairment in the Neuse Estuary From Nutrient Loading: Progress and Ongoing Challenges*. Center for Applied Aquatic Ecology, North Carolina State University, 620 Hutton St., Suite 104, Raleigh, NC.
- Center for Watershed Protection (CWP), 1998. *Rapid Watershed Planning Handbook*. Ellicott City, MD.
- Center for Watershed Protection (CWP), 2002. *Article 32 The Practice of Watershed Protection*: Roger C. Sutherland. “Methods for Estimating the Effective of Impervious Area of Urban Watersheds – Technical Note #58 from ‘Watershed Protection Techniques. 2(1): 282-284.” Ellicott City, MD.
- Center for Watershed Protection, 2003. *Impacts of Impervious Cover on Aquatic Systems*. Ellicott City, MD. Pp. 150.
- Citak, James S. and Shannon Kelly, 2005. *2003 Annual Assessment of Shellfish Growing Areas for the Town of East Lyme, January 31, 2005*. State of Connecticut Department of Agriculture, Bureau of Aquaculture (DA/BA). Milford, CT.
- Civco, D.L., J.D. Hurd, E.H. Wilson, C.L. Arnold, and S. Prisloe. 2002. *Quantifying and Describing Urbanizing Landscapes in the Northeast United States*. Photogrammetric Engineering and Remote Sensing 68(10): 1083-1090.
- Collette, B.B ; Klein–MacPhee, G., editors. (2002). Bigelow and Schroeder's fishes of the Gulf of Maine. 3rd ed. Washington, DC: Smithsonian Institution Press; 748 p.

- Costa, J.E., Howes, B.L., Janik, D., Aubrey, D. Gunn, E., & Giblin, A.E. (1999). Managing anthropogenic nitrogen inputs to coastal embayments: Technical basis and evaluation of a management strategy adopted for Buzzards Bay. Buzzards Bay Project Technical Report. 62 pp. Draft Final, September 24, 1999.
- CTDEP, 1999. *Draft Environmental Impact Statement and Section 4(f) Evaluation, Route 82/85/11 Corridor, Salem, Montville, East Lyme and Waterford., State Project # 120-81, February 1999*, US Department of Transportation, Federal Highway Administration and Connecticut Department of Transportation.
- CTDEP, 2002a. *Connecticut Guidelines for Soil Erosion and Sediment Control*. Connecticut Department of Environmental Protection, Hartford, CT.
- CTDEP, 2002b. *Connecticut Nonpoint Source Management Program 2002 Annual Report*. Connecticut Department of Environmental Protection, Hartford, CT. 48 pp.
- CTDEP, 2002c. *Water Quality Standards for the State of Connecticut* (Surface Water Quality Standards Effective December 17, 2002. Ground Water Quality Standards Effective April 12, 1996)
- CTDEP, 2004a. *2004 Connecticut Stormwater Quality Manual*. Connecticut Department of Environmental Protection, Hartford, CT.
- CTDEP, 2004b. *2004 List of Connecticut Waterbodies Not Meeting Water Quality Standards. Final – April 28, 2004*. State of Connecticut Department of Environmental Protection, Hartford, CT.
- CTDEP, 2004c. *Connecticut Consolidated Assessment & Listing Methodology for 305(b) and 305(d) Reporting (CT CALM). April, 2004*. State of Connecticut Department of Environmental Protection, Hartford, CT.
- CTDEP, 2004d. *General Permit for the Discharge of Stormwater from Small Municipal Separate Storm Sewer Systems. Issuance Date: January 9, 2004*. State Of Connecticut Department of Environmental Protection, Bureau of Water Protection and Land Reuse, Permitting, Enforcement and Remediation Division. Hartford, CT.
- CTDEP, 2005. *Application for Federal Approval of No Discharge Area Designation, Guilford to Groton, July 2005*. Connecticut Department of Environmental Protection, Hartford, CT.
- CTDEP, 2006. *Connecticut's Coastal Nonpoint Source Pollution Control Program Management Area - Land Cover Analysis*. CTDEP Bureau of Water Protection and Land Reuse, Hartford, CT. (Access on July 23, 2006 at [http://dep.state.ct.us/olisp/coastalnonpoint/mmt\\_area\\_analysis.htm](http://dep.state.ct.us/olisp/coastalnonpoint/mmt_area_analysis.htm)).

- CTDOAG, 2006. *Shellfish Area Classifications*. CTDOAG Website (<http://www.ct.gov/doag/cwp/view.asp?a=1369&q=259172>). Accessed May 18, 2006.
- CT DA/BA, 2005a. *2003 Annual Assessment of Shellfish Growing Areas for the Town of East Lyme, Date: 1/31/05*. State of Connecticut Department of Agriculture, Bureau of Aquaculture (DA/BA). Milford, CT. Pp. 33.
- CT DA/BA, 2005b. *2003 Triennial Assessment of Shellfish Growing Areas for the Town of Waterford, Date: 1/18/05*. State of Connecticut Department of Agriculture, Bureau of Aquaculture (DA/BA). Milford, CT. Pp. 35.
- de la Crétaz, A.L., Y. Zhang, D. Kimball, N. Lloyd and P.K. Barten. 2003. Protecting the Source : A guide to Database Compilation and GIS-Based Watershed Assessment Methods (Version 1). Data model guidebook. University of Massachusetts and U.S. Forest Service Watershed Exchange and Technology Partnership in Cooperation with the Massachusetts Department of Conservation and Recreation.
- DNC (2002). Annual Report 2001: Monitoring the Environment of Long Island Sound at Millstone Power Station, Waterford Connecticut. Millstone Environmental Laboratory.
- DNC (2005). Annual Report 2004: Monitoring the Environment of Long Island Sound at Millstone Power Station, Waterford Connecticut. Millstone Environmental Laboratory.
- DNC (2006). Annual Report 2005: Monitoring the Environment of Long Island Sound at Millstone Power Station, Waterford Connecticut. Millstone Environmental Laboratory.
- Eight Mile Wild & Scenic Study Committee. 2005. *Eight Mile River Watershed Management Plan*. Draft December 8, 2005.
- ESRI (Environmental Systems Research Institute). 2005. Spatial Analyst: Flow Accumulation. ArcGIS Desktop Help. ESRI, Redlands, CA.
- García-Esquivel, Z. & Bricelj, V.W. (1993). Ontogenic changes in microhabitat distribution of juvenile bay scallops, *Argopecten irradians irradians* (L.), in eelgrass beds, and their potential significance to early recruitment. *Biological Bulletin*, 185: 42-55.
- Gilbert, R.O. (1987). *Statistical Methods for Environmental Pollution Monitoring*. John Wiley and Sons, Inc.
- Goldberg, R., Pereira, J., & Clark, P. (2000). Strategies for enhancement of natural bay scallop, *Argopecten irradians irradians*, populations; A case study in the Niantic River estuary, Connecticut, USA. *Aquaculture International*, 8: 139-158.

- Hader, D.-P, Kumar, H.D., Smith, R.C., & Worrest, R.C. (1998). Effects on aquatic ecosystems. *Journal of Photochemistry and Photobiology B: Biology* 46: 53-68.
- Harper, H.H. (1998). Stormwater Chemistry and Water Quality”  
<http://www.stormwaterauthority.org/assets/47chemistry.pdf>
- Heck KL Jr., Able KW, Roman CT, and Fahay MP, 1995. *Composition, abundance, biomass and production of macrofauna in a New England estuary: comparisons among eelgrass meadows and other nursery habitats*. *Estuaries* 18(2): 379–389.
- Hornbeck, J.W., C.W. Martin, and C. Eagar., 1997. Summary of water yield experiments at Hubbard Brook Experimental Forest, New Hampshire. *Canadian Journal of Forest Research* 27:2043-2052.
- Koch, E.W., Yarish, C., Beer, S., Troy, R., Capruillo, G., Linden, R., & Rehnberg, J. (1994). Environmental monitoring, seagrass mapping, and biotechnology as means of fisheries habitat enhancement along the Connecticut Coast. Report to Connecticut DEP, Office of Long Island Sound Programs. 42pp.
- Keser, M., Swenarton, J.T., Vozarik, J.M., & Foertch, J.F. (2003). Decline in eelgrass (*Zostera marina*) in Long Island Sound near Millstone Point, Connecticut (USA) unrelated to thermal input. *J. Sea Res.* 49: 11–26.
- Krall, Lisa, 2005. Presentation of CT Soil Suitability and Stormwater Management Practices to the Niantic River Protection Project Steering Committee, October 20, 2005, Kleinschmidt Building, Essex, CT.
- Lapointe, B.E. & O’Connell, J.D. (1989). Nutrient-enhanced growth of *Cladophora prolifera* in Harrington Sound, Bermuda: Eutrophication of a confined, phosphorus limited marine ecosystem. *Estuarine Coastal Shelf Sci.* 28: 347-360.
- Lin, J.P. (2004). Review of Published Export Coefficient and Event Mean Concentration (EMC) Data. Wetlands Regulatory Assistance Program, ERDC TN-WRAP-04-03.
- Line, D.E., White, N.M., Osmond, D.L., Jennings, G.D., and Mojonier, C.B. (2002). Pollutant Export from Various Land Uses in the Upper Neuse River Basin. *Water Environment Research* 74(1), 100-108.
- Long Island Sound Study, 2006. Soundhealth 2006 Environmental Indicators: A report on the Status and Trends in the Health of Long Island Sound, Section 5.1. EPA LISS, Stamford, CT. (Accessed July 23, 2006 at <http://www.longislandsoundstudy.net/indicators/index.htm>)
- Marine Biological Laboratory (The Ecosystems Center at), 2006. *Changing Land Use and Estuaries – Nitrogen in Coastal Waters*. Woods Hole, Massachusetts. Website recently accessed on August 10, 2006: <http://ecosystems.mbl.edu/Research/Clue/>

- Marshall, N.E. (1960). Studies of the Niantic River, Connecticut with special reference to the bay scallop, *Aequipecten irradians*. *Limnol. Oceanog.* 5, 86-105.
- Marshall, N. E. (1994). *The Scallop Estuary: The Natural Features of the Niantic River*. Th'Anchorage Publisher, St. Michaels MD.
- Mazzaferro, D.L., Handman, E.H., and Thomas, M.P., 1979, Water resources inventory of Connecticut, part 8, Quinnipiac River basin: Connecticut Water Resources Bulletin 27, 88 p.
- Millstone Environmental Laboratory (2002). Annual Report 2001: Monitoring the Environment of Long Island Sound at Millstone Power Station, Waterford Connecticut. Millstone Environmental Laboratory.
- Millstone Environmental Laboratory (2005). Annual Report 2004: Monitoring the Environment of Long Island Sound at Millstone Power Station, Waterford Connecticut. Millstone Environmental Laboratory.
- Millstone Environmental Laboratory (2006). Annual Report 2005: Monitoring the Environment of Long Island Sound at Millstone Power Station, Waterford Connecticut. Millstone Environmental Laboratory.
- Morrison, Jonathan, T.C. Sargent, J.W. Martin, and J.R. Norris, 2006. *Water Resources Data Connecticut Water Year 2005*. USGS Connecticut Water Science Center, East Hartford, CT. pp. 340. (Access online at <http://pubs.usgs.gov/wdr/2005/wdr-ct-05-1/> on July 24, 2006).
- Mullaney, John R., Gregory E. Schwarz, and Elaine C. Todd Trench, 2002. Estimation of Nitrogen Yields and Loads from Basins Draining to Long Island Sound, 1988–98 (Water-Resources Investigations Report 02-4044). United States Geological Survey, East Hartford, CT. 94 pp.
- Mullaney, John R., 2006. Presentation to Niantic River Watershed Protection Project Steering Committee, May 31, 2006: *Project to Determine Nitrogen Discharge from Ground Water to the Niantic River Funded in part with funds from the Long Island Sound Study Connecticut Department of Environmental Protection and U.S. Geological Survey*. Unpublished data, USGS, Hartford, CT.
- National Academy of Sciences, 1994. *Priorities for Coastal Science*. National Academy Press. Washington, D.C. (Available online at: <http://www.nap.edu/catalog/4932.html>. Accessed July 24, 2006).
- National Academy of Sciences, 2000. *Clean Coastal Waters: Understanding and Reducing the Effects of Nutrient Pollution*. NAS Commission on Geosciences, Environment and Resources (CGER) Ocean Studies Board (OSB) Washington, D.C. (Available online at: <http://www.nap.edu/catalog>. Accessed July 24, 2006).

- National Atmospheric Deposition Program (NRSP-3), 2006. *2004 Isopleths*. NADP Program Office, Illinois State Water Survey, 2204 Griffith Dr., Champaign, IL 61820.
- National Oceanic and Atmospheric Association (NOAA), 2006. *Spatial Trends in Coastal Socioeconomics*. NOAA STICS Web Portal (<http://marineeconomics.noaa.gov/socioeconomics/welcome.html>). Accessed June 23, 2006.
- National Shellfish Sanitation Program (NSSP), 2003. *Guide for the Control of Molluscan Shellfish 2003*. U. S. Department of Health and Human Services Public Health Service, Food and Drug Administration, Center for Food Safety and Nutrition. Washington D.C. Accessed via the Internet at <http://www.cfsan.fda.gov/~ear/nss2-toc.html>.
- Palone, R.S. and A.H. Todd (editors). 1997. Chesapeake Bay riparian handbook: a guide for establishing and maintaining riparian forest buffers. U.S. Department of Agriculture Forest Service, Northeastern Area – State and Private Forestry. Publication NA-TP-02-97. Radnor, Penn.
- Pedersen, M.F. & Borum, J. (1996). Nutrient control of algal growth in estuarine waters. Nutrient limitation and the importance of nitrogen requirements and nitrogen storage among phytoplankton and species of macroalgae. *Mar. Ecol. Prog. Ser.* 142: 261–272.
- Reese, Andrew J., ( ). *Funding Phase II Storm Water Programs*. AMEC Earth & Environment, Inc. Nashville, TN.
- Rivers, J.S. & Peckol, P. (1995). Interactive effects of nitrogen and dissolved inorganic carbon on photosynthesis, growth, and ammonium uptake of the macroalgae *Cladophora vagabunda* and *Gracilaria tikvahiae*. *Marine Biology* 121:747-753.
- Roseman, E.F., Tomichuk, C.A., Maynard, T., & Burton, J.A. (2005). Relative abundance, age, growth, and fecundity of grubby *Myoxocephalus aeneus* in Niantic River and Niantic Bay, Long Island Sound. *Journal of Sea Research*, 53: 309–318.
- Saila, S.B. (1976). Final report on effects of power plant entrainment on winter flounder populations near Millstone Point. Prepared for Northeast Utilities Service Co. URI-NUSCO rep. No. 5. 135 pp + App. A-D.
- Schueler, Thomas R., and Richard A. Clayton. Design of Stormwater Filtering Systems, The Center for Watershed Protection. December, 1996.
- Schueler, T. R., 1994. *The Importance of Imperviousness*. Watershed Protection Techniques, vol. 1(3): pp. 100-11.

- Short, F.T., Mathieson, A.C., & Nelson, J.I. (1986). Recurrence of the eelgrass wasting disease at the border of New Hampshire and Maine, USA. *Mar. Ecol. Prog. Ser.* 29:89–92.
- Short, F.T., Jones, G.E., & Burdick, D.M. (1991). Seagrass decline: Problems and solutions, *In* H.S. Bolton (ed.) *Coastal Wetlands, Proceedings of the Coastal Zone 91' Conference*. American Society of Civil Engineers, New York.
- Short, F.T. (1988). Eelgrass-scallop research in the Niantic River. Waterford-East Lyme, Connecticut Shellfish Commission, Final Report. Jackson Estuarine Laboratory, Durham, NH.
- Short, F.T. & Burdick, D.M. (1996). Quantifying eelgrass habitat loss in relation to housing development and nitrogen loading in Waquoit Bay, Massachusetts. *Estuaries*, Vol. 19, No. 3: 730-739.
- Short, F.T., Davis, R.C., Kopp, B.S., Short, C.A., & Burdick, D.M. (2002). Site-selection model for optimal transplantation of eelgrass *Zostera marina* in the northeastern US. *Ma Ecol Prog Ser* 227: 253–267.
- Sleavin, W., S. Prisløe, L. Giannotti, J. Stocker, D.L. Civco. 2000. *Measuring Impervious Surfaces for Nonpoint Source Pollution Modeling*. Proc. 2000 ASPRS Annual Convention, Washington, D.C. 11 p.
- Sleavin, William. 1999. *Measuring Impervious Surface in Connecticut Using Planimetric Data*. Master's Thesis, University of Connecticut.
- Spence, D.H.N. (1982). The Zonation of Plants in Freshwater Lakes; *In* Macfadyen, A. & Ford, E.D. editors. *Advances in Ecological Research*, Academic Press.
- Stacey, Paul and John R. Mullaney, 2004. *Long Island Sound Study Grant Proposal: Nutrient Loading to the Niantic River from Tributaries above the Fall Line*. Connecticut Department of Environmental Protection (DEP) in cooperation with the U.S. Geological Survey (USGS).
- Tomichek, C.A. & Roseman, E.F. (2004). Changes in fish and macroinvertebrate assemblages of the Niantic River estuary, Connecticut, USA, 1976–2000.
- UCON CLEAR [computer file]. Haddam, Connecticut: 2004 Land Cover for the Niantic River Watershed, 2006.
- USDA Natural Resources Conservation Service. 1993. *Soil Survey Manual*. Superintendent of Documents, U.S. Government Printing Office, Washington D.C., pp. 98-99, 102-106..
- USDA Natural Resources Conservation Service, 2005. *Soil Based Recommendations for Storm Water Management Practices*. USDA NRCS, Tolland, CT. pp.

- USEPA, 2000. *Ambient Water Quality Criteria Recommendations Information Supporting The Development Of State And Tribal Nutrient Criteria For Rivers And Streams In Nutrient Ecoregion XIV Eastern Coastal Plain including all or parts of the States of South Carolina, North Carolina, Georgia, Virginia, Maryland, Delaware, New Jersey, New York, Connecticut, Rhode Island, Massachusetts, New Hampshire, Maine and the authorized Tribes within the Ecoregion* (EPA 822-B-00-022). USEPA Office of Water, Office of Science and Technology Health and Ecological Criteria Division, Washington, D.C. December 2000. (<http://www.epa.gov/waterscience/criteria/nutrient/guidance/index.html>)
- USEPA, 2001. *Nutrient Criteria Technical Guidance Manual Estuarine and Coastal Marine Waters*. USEPA Office of Water, Office of Science and Technology Health and Ecological Criteria Division, Washington, D.C. October 2001 (<http://www.epa.gov/waterscience/criteria/nutrient/guidance/index.html>)
- USEPA, 2003a. *Getting in Step: A Guide for Conducting Watershed Outreach Campaigns* (EPA 841-B-03-002), EPA Office of Wetlands, Oceans and Watersheds, Washington, D.C. (Access online at <http://www.epa.gov/owow/watershed/outreach/documents/getnstep.pdf> on September 18, 2006).
- USEPA, 2003b. *Guidance Specifying Management Measures for Sources of Nonpoint Pollution in Coastal Waters* (EPA 840-B-92-002). EPA Nonpoint Source Management Program, Washington, D.C. (Access online at <http://www.epa.gov/owow/nps/MMGI/> on July 25, 2006).
- USEPA, 2005a. *Handbook for Developing Watershed Plans to Restore and Protect our Waters*. Draft. Office of Water Nonpoint Source Control Branch. Washington, DC 20460. EPA 841-B-05-005.
- USEPA, 2005b. *National Coastal Conditions Report II* (EPA-620/R-03-002), *Chapter 3 Part II Northeast Coasts*. EPA OWOW, Washington, D.C. 13 pp.
- USEPA, 2005c. *No Discharge Area Implementation Plan 2005 – 2010*. EPA New England Ocean and Coastal Protection Unit. August 2005. ([www.epa.gov/ne/eco/nodiscrg](http://www.epa.gov/ne/eco/nodiscrg))
- USEPA, STEPL Model Excel Reference Table (2005d)
- U.S. Environmental Protection Agency, Dec. *Results of the Nationwide Urban Runoff Program*. Water Planning Division, PB 84-185552, Washington, D.C. 1983.
- Valiela, I. (1984). *Marine Ecological Processes*. Springer-Verlag, New York, New York.
- Valiela, I., Collins, G., Kremer, J., Lajtha, K., Gesit, M., Seely, M., Brawley, J., Sham, C.H., 1997. *Nitrogen loading from coastal watersheds to receiving estuaries—New method and application: Ecological Applications*, v. 7, no. 2, p. 358-374.

Worm, B. & Sommer, U. (2000). Rapid direct and indirect effects of a single nutrient pulse in a seaweed-epiphyte-grazer system. *Mar. Ecol. Prog. Ser.*, Vol. 202: pgs 283–288.